

O-Ring Standard Size (AS 568A)

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|-----------------|---|--------|------|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0001 | 1/32 | 3/32 | 1/32 | 0.029 | 0.004 | 0.040 | 0.003 | 0.74 | 0.10 | 1.02 | 0.08 |
| A0002 | 3/64 | 9/64 | 3/64 | 0.042 | 0.004 | 0.050 | 0.003 | 1.07 | 0.10 | 1.27 | 0.08 |
| A0003 | 1/16 | 3/16 | 1/16 | 0.056 | 0.004 | 0.060 | 0.003 | 1.42 | 0.10 | 1.52 | 0.08 |
| A0004 | 5/64 | 13/64 | 1/16 | 0.070 | 0.005 | 0.070 | 0.003 | 1.78 | 0.13 | 1.78 | 0.08 |
| A0005 | 3/32 | 7/32 | 1/16 | 0.101 | 0.005 | 0.070 | 0.003 | 2.57 | 0.13 | 1.78 | 0.08 |
| A0006 | 1/8 | 1/4 | 1/16 | 0.114 | 0.005 | 0.070 | 0.003 | 2.90 | 0.13 | 1.78 | 0.08 |
| A0007 | 5/32 | 9/32 | 1/16 | 0.145 | 0.005 | 0.070 | 0.003 | 3.68 | 0.13 | 1.78 | 0.08 |
| A0008 | 3/16 | 5/16 | 1/16 | 0.176 | 0.005 | 0.070 | 0.003 | 4.47 | 0.13 | 1.78 | 0.08 |
| A0009 | 7/32 | 11/32 | 1/16 | 0.208 | 0.005 | 0.070 | 0.003 | 5.28 | 0.13 | 1.78 | 0.08 |
| A0010 | 1/4 | 3/8 | 1/16 | 0.239 | 0.005 | 0.070 | 0.003 | 6.07 | 0.13 | 1.78 | 0.08 |
| A0011 | 5/16 | 7/16 | 1/16 | 0.301 | 0.005 | 0.070 | 0.003 | 7.65 | 0.13 | 1.78 | 0.08 |
| A0012 | 3/8 | 1/2 | 1/16 | 0.364 | 0.005 | 0.070 | 0.003 | 9.25 | 0.13 | 1.78 | 0.08 |
| A0013 | 7/16 | 9/16 | 1/16 | 0.426 | 0.005 | 0.070 | 0.003 | 10.82 | 0.13 | 1.78 | 0.08 |
| A0014 | 1/2 | 5/8 | 1/16 | 0.489 | 0.005 | 0.070 | 0.003 | 12.42 | 0.13 | 1.78 | 0.08 |
| A0015 | 9/16 | 11/16 | 1/16 | 0.551 | 0.007 | 0.070 | 0.003 | 14.00 | 0.18 | 1.78 | 0.08 |
| A0016 | 5/8 | 3/4 | 1/16 | 0.614 | 0.009 | 0.070 | 0.003 | 15.60 | 0.23 | 1.78 | 0.08 |
| A0017 | 11/16 | 13/16 | 1/16 | 0.676 | 0.009 | 0.070 | 0.003 | 17.17 | 0.23 | 1.78 | 0.08 |
| A0018 | 3/4 | 7/8 | 1/16 | 0.739 | 0.009 | 0.070 | 0.003 | 18.77 | 0.23 | 1.78 | 0.08 |
| A0019 | 13/16 | 15/16 | 1/16 | 0.801 | 0.009 | 0.070 | 0.003 | 20.35 | 0.23 | 1.78 | 0.08 |
| A0020 | 7/8 | 1 | 1/16 | 0.864 | 0.009 | 0.070 | 0.003 | 21.95 | 0.23 | 1.78 | 0.08 |
| A0021 | 15/16 | 1 1/16 | 1/16 | 0.926 | 0.009 | 0.070 | 0.003 | 23.52 | 0.23 | 1.78 | 0.08 |
| A0022 | 1 | 1/8 | 1/16 | 0.989 | 0.010 | 0.070 | 0.003 | 25.12 | 0.25 | 1.78 | 0.08 |
| A0023 | 1 1/16 | 1 3/16 | 1/16 | 1.051 | 0.010 | 0.070 | 0.003 | 26.70 | 0.25 | 1.78 | 0.08 |
| A0024 | 1 1/8 | 1 1/4 | 1/16 | 1.114 | 0.010 | 0.070 | 0.003 | 28.30 | 0.25 | 1.78 | 0.08 |
| A0025 | 1 3/16 | 1 5/16 | 1/16 | 1.176 | 0.011 | 0.070 | 0.003 | 29.87 | 0.28 | 1.78 | 0.08 |
| A0026 | 1 1/4 | 1 3/8 | 1/16 | 1.239 | 0.011 | 0.070 | 0.003 | 31.47 | 0.28 | 1.78 | 0.08 |
| A0027 | 1 5/16 | 1 7/16 | 1/16 | 1.301 | 0.011 | 0.070 | 0.003 | 33.05 | 0.28 | 1.78 | 0.08 |
| A0028 | 1 3/8 | 1 1/2 | 1/16 | 1.364 | 0.013 | 0.070 | 0.003 | 34.65 | 0.33 | 1.78 | 0.08 |
| A0029 | 1 1/2 | 1 5/8 | 1/16 | 1.489 | 0.013 | 0.070 | 0.003 | 37.82 | 0.33 | 1.78 | 0.08 |
| A0030 | 1 5/8 | 1 3/4 | 1/16 | 1.614 | 0.013 | 0.070 | 0.003 | 41.00 | 0.33 | 1.78 | 0.08 |
| A0031 | 1 3/4 | 1 7/8 | 1/16 | 1.739 | 0.015 | 0.070 | 0.003 | 44.17 | 0.38 | 1.78 | 0.08 |
| A0032 | 1 7/8 | 2 | 1/16 | 1.864 | 0.015 | 0.070 | 0.003 | 47.35 | 0.38 | 1.78 | 0.08 |
| A0033 | 2 | 2 1/8 | 1/16 | 1.989 | 0.018 | 0.070 | 0.003 | 50.52 | 0.46 | 1.78 | 0.08 |
| A0034 | 2 1/8 | 2 1/4 | 1/16 | 2.114 | 0.018 | 0.070 | 0.003 | 53.70 | 0.46 | 1.78 | 0.08 |
| A0035 | 2 1/4 | 2 3/8 | 1/16 | 2.239 | 0.018 | 0.070 | 0.003 | 56.87 | 0.46 | 1.78 | 0.08 |
| A0036 | 2 3/8 | 2 1/2 | 1/16 | 2.364 | 0.018 | 0.070 | 0.003 | 60.05 | 0.46 | 1.78 | 0.08 |
| A0037 | 2 1/2 | 2 5/8 | 1/16 | 2.489 | 0.018 | 0.070 | 0.003 | 63.22 | 0.46 | 1.78 | 0.08 |
| A0038 | 2 5/8 | 2 3/4 | 1/16 | 2.614 | 0.020 | 0.070 | 0.003 | 66.40 | 0.51 | 1.78 | 0.08 |
| A0039 | 2 3/4 | 2 7/8 | 1/16 | 2.739 | 0.020 | 0.070 | 0.003 | 69.57 | 0.51 | 1.78 | 0.08 |
| A0040 | 2 7/8 | 3 | 1/16 | 2.864 | 0.020 | 0.070 | 0.003 | 72.75 | 0.51 | 1.78 | 0.08 |
| A0041 | 3 | 3 1/8 | 1/16 | 2.989 | 0.024 | 0.070 | 0.003 | 75.92 | 0.61 | 1.78 | 0.08 |
| A0042 | 3 1/4 | 3 3/8 | 1/16 | 3.239 | 0.024 | 0.070 | 0.003 | 82.27 | 0.61 | 1.78 | 0.08 |
| A0043 | 3 1/2 | 3 5/8 | 1/16 | 3.489 | 0.024 | 0.070 | 0.003 | 88.62 | 0.61 | 1.78 | 0.08 |
| A0044 | 3 3/4 | 3 7/8 | 1/16 | 3.739 | 0.027 | 0.070 | 0.003 | 94.97 | 0.69 | 1.78 | 0.08 |
| A0045 | 4 | 4 1/8 | 1/16 | 3.989 | 0.027 | 0.070 | 0.003 | 101.32 | 0.69 | 1.78 | 0.08 |

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|-----------------|---|---------|------|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0046 | 4 1/4 | 4 3/8 | 1/16 | 4.239 | 0.030 | 0.070 | 0.003 | 107.67 | 0.76 | 1.78 | 0.08 |
| A0047 | 4 1/2 | 4 3/8 | 1/16 | 4.489 | 0.030 | 0.070 | 0.003 | 114.02 | 0.76 | 1.78 | 0.08 |
| A0048 | 4 3/4 | 4 7/8 | 1/16 | 4.739 | 0.030 | 0.070 | 0.003 | 120.37 | 0.76 | 1.78 | 0.08 |
| A0049 | 5 | 5 1/8 | 1/16 | 4.989 | 0.037 | 0.070 | 0.003 | 126.72 | 0.94 | 1.78 | 0.08 |
| A0050 | 5 1/4 | 5 3/8 | 1/16 | 5.239 | 0.037 | 0.070 | 0.003 | 133.07 | 0.94 | 1.78 | 0.08 |
| A0102 | 1/16 | 1/4 | 3/32 | 0.049 | 0.005 | 0.103 | 0.003 | 1.24 | 0.13 | 2.62 | 0.08 |
| A0103 | 3/32 | 9/32 | 3/32 | 0.081 | 0.005 | 0.103 | 0.003 | 2.06 | 0.13 | 2.62 | 0.08 |
| A0104 | 1/8 | 5/16 | 3/32 | 0.112 | 0.005 | 0.103 | 0.003 | 2.84 | 0.13 | 2.62 | 0.08 |
| A0105 | 5/32 | 11/32 | 3/32 | 0.143 | 0.005 | 0.103 | 0.003 | 3.63 | 0.13 | 2.62 | 0.08 |
| A0106 | 3/16 | 3/8 | 3/32 | 0.174 | 0.005 | 0.103 | 0.003 | 4.42 | 0.13 | 2.62 | 0.08 |
| A0107 | 7/32 | 13/32 | 3/32 | 0.206 | 0.005 | 0.103 | 0.003 | 5.23 | 0.13 | 2.62 | 0.08 |
| A0108 | 1/4 | 7/16 | 3/32 | 0.237 | 0.005 | 0.103 | 0.003 | 6.02 | 0.13 | 2.62 | 0.08 |
| A0109 | 5/16 | 1/2 | 3/32 | 0.299 | 0.005 | 0.103 | 0.003 | 7.59 | 0.13 | 2.62 | 0.08 |
| A0110 | 3/8 | 9/16 | 3/32 | 0.362 | 0.005 | 0.103 | 0.003 | 9.19 | 0.13 | 2.62 | 0.08 |
| A0111 | 7/16 | 5/8 | 3/32 | 0.424 | 0.005 | 0.103 | 0.003 | 10.77 | 0.13 | 2.62 | 0.08 |
| A0112 | 1/2 | 11/16 | 3/32 | 0.487 | 0.005 | 0.103 | 0.003 | 12.37 | 0.13 | 2.62 | 0.08 |
| A0113 | 9/16 | 3/4 | 3/32 | 0.549 | 0.007 | 0.103 | 0.003 | 13.94 | 0.18 | 2.62 | 0.08 |
| A0114 | 5/8 | 13/16 | 3/32 | 0.612 | 0.009 | 0.103 | 0.003 | 15.54 | 0.23 | 2.62 | 0.08 |
| A0115 | 11/16 | 7/8 | 3/32 | 0.674 | 0.009 | 0.103 | 0.003 | 17.12 | 0.23 | 2.62 | 0.08 |
| A0116 | 3/4 | 15/16 | 3/32 | 0.737 | 0.009 | 0.103 | 0.003 | 18.72 | 0.23 | 2.62 | 0.08 |
| A0117 | 13/16 | 1 | 3/32 | 0.799 | 0.010 | 0.103 | 0.003 | 20.29 | 0.25 | 2.62 | 0.08 |
| A0118 | 7/8 | 1 1/16 | 3/32 | 0.862 | 0.010 | 0.103 | 0.003 | 21.89 | 0.25 | 2.62 | 0.08 |
| A0119 | 15/16 | 1 1/8 | 3/32 | 0.924 | 0.010 | 0.103 | 0.003 | 23.47 | 0.25 | 2.62 | 0.08 |
| A0120 | 1 | 1 3/16 | 3/32 | 0.987 | 0.010 | 0.103 | 0.003 | 25.07 | 0.25 | 2.62 | 0.08 |
| A0121 | 1 1/16 | 1 1/4 | 3/32 | 1.049 | 0.010 | 0.103 | 0.003 | 26.64 | 0.25 | 2.62 | 0.08 |
| A0122 | 1 1/8 | 1 5/16 | 3/32 | 1.112 | 0.010 | 0.103 | 0.003 | 28.24 | 0.25 | 2.62 | 0.08 |
| A0123 | 1 3/16 | 1 3/8 | 3/32 | 1.174 | 0.012 | 0.103 | 0.003 | 29.82 | 0.30 | 2.62 | 0.08 |
| A0124 | 1 1/4 | 1 7/16 | 3/32 | 1.237 | 0.012 | 0.103 | 0.003 | 31.42 | 0.30 | 2.62 | 0.08 |
| A0125 | 1 5/16 | 1 1/2 | 3/32 | 1.299 | 0.012 | 0.103 | 0.003 | 32.99 | 0.30 | 2.62 | 0.08 |
| A0126 | 1 3/8 | 1 9/16 | 3/32 | 1.362 | 0.012 | 0.103 | 0.003 | 34.59 | 0.30 | 2.62 | 0.08 |
| A0127 | 1 7/16 | 1 5/8 | 3/32 | 1.424 | 0.012 | 0.103 | 0.003 | 36.17 | 0.30 | 2.62 | 0.08 |
| A0128 | 1 1/2 | 1 11/16 | 3/32 | 1.487 | 0.012 | 0.103 | 0.003 | 37.77 | 0.30 | 2.62 | 0.08 |
| A0129 | 1 9/16 | 1 3/4 | 3/32 | 1.549 | 0.015 | 0.103 | 0.003 | 39.34 | 0.38 | 2.62 | 0.08 |
| A0130 | 1 5/8 | 1 13/16 | 3/32 | 1.612 | 0.015 | 0.103 | 0.003 | 40.94 | 0.38 | 2.62 | 0.08 |
| A0131 | 1 11/16 | 1 7/8 | 3/32 | 1.674 | 0.015 | 0.103 | 0.003 | 42.52 | 0.38 | 2.62 | 0.08 |
| A0132 | 1 3/4 | 1 15/16 | 3/32 | 1.737 | 0.015 | 0.103 | 0.003 | 44.12 | 0.38 | 2.62 | 0.08 |
| A0133 | 1 13/16 | 2 | 3/32 | 1.799 | 0.015 | 0.103 | 0.003 | 45.69 | 0.38 | 2.62 | 0.08 |
| A0134 | 1 7/8 | 2 1/16 | 3/32 | 1.862 | 0.015 | 0.103 | 0.003 | 47.29 | 0.38 | 2.62 | 0.08 |
| A0135 | 1 15/16 | 2 1/8 | 3/32 | 1.925 | 0.017 | 0.103 | 0.003 | 48.90 | 0.43 | 2.62 | 0.08 |
| A0136 | 2 | 2 3/16 | 3/32 | 1.987 | 0.017 | 0.103 | 0.003 | 50.47 | 0.43 | 2.62 | 0.08 |
| A0137 | 2 1/16 | 2 1/4 | 3/32 | 2.050 | 0.017 | 0.103 | 0.003 | 52.07 | 0.43 | 2.62 | 0.08 |
| A0138 | 2 1/8 | 2 5/16 | 3/32 | 2.112 | 0.017 | 0.103 | 0.003 | 53.64 | 0.43 | 2.62 | 0.08 |
| A0139 | 2 3/16 | 2 3/8 | 3/32 | 2.175 | 0.017 | 0.103 | 0.003 | 55.25 | 0.43 | 2.62 | 0.08 |
| A0140 | 2 1/4 | 2 7/16 | 3/32 | 2.237 | 0.017 | 0.103 | 0.003 | 56.82 | 0.43 | 2.62 | 0.08 |
| A0141 | 2 5/16 | 2 1/2 | 3/32 | 2.300 | 0.020 | 0.103 | 0.003 | 58.42 | 0.51 | 2.62 | 0.08 |

O-Ring Standard
Size (AS 568A)

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|--------------|---------------------------------------|---------|------|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0142 | 2 3/8 | 2 9/16 | 3/32 | 2.362 | 0.020 | 0.103 | 0.003 | 59.99 | 0.51 | 2.62 | 0.08 |
| A0143 | 2 7/16 | 2 5/8 | 3/32 | 2.425 | 0.020 | 0.103 | 0.003 | 61.60 | 0.51 | 2.62 | 0.08 |
| A0144 | 2 1/2 | 2 11/16 | 3/32 | 2.487 | 0.020 | 0.103 | 0.003 | 63.17 | 0.51 | 2.62 | 0.08 |
| A0145 | 2 9/16 | 2 3/4 | 3/32 | 2.550 | 0.020 | 0.103 | 0.003 | 64.77 | 0.51 | 2.62 | 0.08 |
| A0146 | 2 5/8 | 2 13/16 | 3/32 | 2.612 | 0.020 | 0.103 | 0.003 | 66.34 | 0.51 | 2.62 | 0.08 |
| A0147 | 2 11/16 | 2 7/8 | 3/32 | 2.675 | 0.022 | 0.103 | 0.003 | 67.95 | 0.56 | 2.62 | 0.08 |
| A0148 | 2 3/4 | 2 15/16 | 3/32 | 2.737 | 0.022 | 0.103 | 0.003 | 69.52 | 0.56 | 2.62 | 0.08 |
| A0149 | 2 13/16 | 3 | 3/32 | 2.800 | 0.022 | 0.103 | 0.003 | 71.12 | 0.56 | 2.62 | 0.08 |
| A0150 | 2 7/8 | 3 1/16 | 3/32 | 2.862 | 0.022 | 0.103 | 0.003 | 72.69 | 0.56 | 2.62 | 0.08 |
| A0151 | 3 | 3 3/16 | 3/32 | 2.987 | 0.024 | 0.103 | 0.003 | 75.87 | 0.61 | 2.62 | 0.08 |
| A0152 | 3 1/4 | 3 7/16 | 3/32 | 3.237 | 0.024 | 0.103 | 0.003 | 82.22 | 0.61 | 2.62 | 0.08 |
| A0153 | 3 1/2 | 3 11/16 | 3/32 | 3.487 | 0.024 | 0.103 | 0.003 | 88.57 | 0.61 | 2.62 | 0.08 |
| A0154 | 3 3/4 | 3 15/16 | 3/32 | 3.737 | 0.028 | 0.103 | 0.003 | 94.92 | 0.71 | 2.62 | 0.08 |
| A0155 | 4 | 4 3/16 | 3/32 | 3.987 | 0.028 | 0.103 | 0.003 | 101.27 | 0.71 | 2.62 | 0.08 |
| A0156 | 4 1/4 | 4 7/16 | 3/32 | 4.237 | 0.030 | 0.103 | 0.003 | 107.62 | 0.76 | 2.62 | 0.08 |
| A0157 | 4 1/2 | 4 11/16 | 3/32 | 4.487 | 0.030 | 0.103 | 0.003 | 113.97 | 0.76 | 2.62 | 0.08 |
| A0158 | 4 3/4 | 4 15/16 | 3/32 | 4.737 | 0.030 | 0.103 | 0.003 | 120.32 | 0.76 | 2.62 | 0.08 |
| A0159 | 5 | 5 3/16 | 3/32 | 4.987 | 0.035 | 0.103 | 0.003 | 126.67 | 0.89 | 2.62 | 0.08 |
| A0160 | 5 1/4 | 5 7/16 | 3/32 | 5.237 | 0.035 | 0.103 | 0.003 | 133.02 | 0.89 | 2.62 | 0.08 |
| A0161 | 5 1/2 | 5 11/16 | 3/32 | 5.487 | 0.035 | 0.103 | 0.003 | 139.37 | 0.89 | 2.62 | 0.08 |
| A0162 | 5 3/4 | 5 15/16 | 3/32 | 5.737 | 0.035 | 0.103 | 0.003 | 145.72 | 0.89 | 2.62 | 0.08 |
| A0163 | 6 | 6 3/16 | 3/32 | 5.987 | 0.035 | 0.103 | 0.003 | 152.07 | 0.89 | 2.62 | 0.08 |
| A0164 | 6 1/4 | 6 7/16 | 3/32 | 6.237 | 0.040 | 0.103 | 0.003 | 158.42 | 1.02 | 2.62 | 0.08 |
| A0165 | 6 1/2 | 6 11/16 | 3/32 | 6.487 | 0.040 | 0.103 | 0.003 | 164.77 | 1.02 | 2.62 | 0.08 |
| A0166 | 6 3/4 | 6 15/16 | 3/32 | 6.737 | 0.040 | 0.103 | 0.003 | 171.12 | 1.02 | 2.62 | 0.08 |
| A0167 | 7 | 7 3/16 | 3/32 | 6.987 | 0.040 | 0.103 | 0.003 | 177.47 | 1.02 | 2.62 | 0.08 |
| A0168 | 7 1/4 | 7 7/16 | 3/32 | 7.237 | 0.045 | 0.103 | 0.003 | 183.82 | 1.14 | 2.62 | 0.08 |
| A0169 | 7 1/2 | 7 11/16 | 3/32 | 7.487 | 0.045 | 0.103 | 0.003 | 190.17 | 1.14 | 2.62 | 0.08 |
| A0170 | 7 3/4 | 7 15/16 | 3/32 | 7.737 | 0.045 | 0.103 | 0.003 | 196.52 | 1.14 | 2.62 | 0.08 |
| A0171 | 8 | 8 3/16 | 3/32 | 7.987 | 0.045 | 0.103 | 0.003 | 202.87 | 1.14 | 2.62 | 0.08 |
| A0172 | 8 1/4 | 8 7/16 | 3/32 | 8.237 | 0.050 | 0.103 | 0.003 | 209.22 | 1.27 | 2.62 | 0.08 |
| A0173 | 8 1/2 | 8 11/16 | 3/32 | 8.487 | 0.050 | 0.103 | 0.003 | 215.57 | 1.27 | 2.62 | 0.08 |
| A0174 | 8 3/4 | 8 15/16 | 3/32 | 8.737 | 0.050 | 0.103 | 0.003 | 221.92 | 1.27 | 2.62 | 0.08 |
| A0175 | 9 | 9 3/16 | 3/32 | 8.987 | 0.050 | 0.103 | 0.003 | 228.27 | 1.27 | 2.62 | 0.08 |
| A0176 | 9 1/4 | 9 7/16 | 3/32 | 9.237 | 0.055 | 0.103 | 0.003 | 234.62 | 1.40 | 2.62 | 0.08 |
| A0177 | 9 1/2 | 9 11/16 | 3/32 | 9.487 | 0.055 | 0.103 | 0.003 | 240.97 | 1.40 | 2.62 | 0.08 |
| A0178 | 9 3/4 | 9 15/16 | 3/32 | 9.737 | 0.055 | 0.103 | 0.003 | 247.32 | 1.40 | 2.62 | 0.08 |
| A0201 | 3/16 | 7/16 | 1/8 | 0.171 | 0.005 | 0.139 | 0.004 | 4.34 | 0.13 | 3.53 | 0.10 |
| A0202 | 1/4 | 1/2 | 1/8 | 0.234 | 0.005 | 0.139 | 0.004 | 5.94 | 0.13 | 3.53 | 0.10 |
| A0203 | 5/16 | 9/16 | 1/8 | 0.296 | 0.005 | 0.139 | 0.004 | 7.52 | 0.13 | 3.53 | 0.10 |
| A0204 | 3/8 | 5/8 | 1/8 | 0.359 | 0.005 | 0.139 | 0.004 | 9.12 | 0.13 | 3.53 | 0.10 |
| A0205 | 7/16 | 11/16 | 1/8 | 0.421 | 0.005 | 0.139 | 0.004 | 10.69 | 0.13 | 3.53 | 0.10 |
| A0206 | 1/2 | 3/4 | 1/8 | 0.484 | 0.005 | 0.139 | 0.004 | 12.29 | 0.13 | 3.53 | 0.10 |
| A0207 | 9/16 | 13/16 | 1/8 | 0.546 | 0.007 | 0.139 | 0.004 | 13.87 | 0.18 | 3.53 | 0.10 |
| A0208 | 5/8 | 7/8 | 1/8 | 0.609 | 0.009 | 0.139 | 0.004 | 15.47 | 0.23 | 3.53 | 0.10 |

O-Ring Standard Size (AS 568A)

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|-----------------|---|---------|-----|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0209 | 11/16 | 15/16 | 1/8 | 0.671 | 0.009 | 0.139 | 0.004 | 17.04 | 0.23 | 3.53 | 0.10 |
| A0210 | 3/4 | 1 | 1/8 | 0.734 | 0.010 | 0.139 | 0.004 | 18.64 | 0.25 | 3.53 | 0.10 |
| A0211 | 13/16 | 1 1/16 | 1/8 | 0.796 | 0.010 | 0.139 | 0.004 | 20.22 | 0.25 | 3.53 | 0.10 |
| A0212 | 7/8 | 1 1/8 | 1/8 | 0.859 | 0.010 | 0.139 | 0.004 | 21.82 | 0.25 | 3.53 | 0.10 |
| A0213 | 15/16 | 1 3/16 | 1/8 | 0.921 | 0.010 | 0.139 | 0.004 | 23.39 | 0.25 | 3.53 | 0.10 |
| A0214 | 1 | 1 1/4 | 1/8 | 0.984 | 0.010 | 0.139 | 0.004 | 24.99 | 0.25 | 3.53 | 0.10 |
| A0215 | 1 1/16 | 1 5/16 | 1/8 | 1.046 | 0.010 | 0.139 | 0.004 | 26.57 | 0.25 | 3.53 | 0.10 |
| A0216 | 1 1/8 | 1 3/8 | 1/8 | 1.109 | 0.012 | 0.139 | 0.004 | 28.17 | 0.30 | 3.53 | 0.10 |
| A0217 | 1 3/16 | 1 7/16 | 1/8 | 1.171 | 0.012 | 0.139 | 0.004 | 29.74 | 0.30 | 3.53 | 0.10 |
| A0218 | 1 1/4 | 1 1/2 | 1/8 | 1.234 | 0.012 | 0.139 | 0.004 | 31.34 | 0.30 | 3.53 | 0.10 |
| A0219 | 1 5/16 | 1 9/16 | 1/8 | 1.296 | 0.012 | 0.139 | 0.004 | 32.92 | 0.30 | 3.53 | 0.10 |
| A0220 | 1 3/8 | 1 5/8 | 1/8 | 1.359 | 0.012 | 0.139 | 0.004 | 34.52 | 0.30 | 3.53 | 0.10 |
| A0221 | 1 7/16 | 1 11/16 | 1/8 | 1.421 | 0.012 | 0.139 | 0.004 | 36.09 | 0.30 | 3.53 | 0.10 |
| A0222 | 1 1/2 | 1 3/4 | 1/8 | 1.484 | 0.015 | 0.139 | 0.004 | 37.69 | 0.38 | 3.53 | 0.10 |
| A0223 | 1 5/8 | 1 7/8 | 1/8 | 1.609 | 0.015 | 0.139 | 0.004 | 40.87 | 0.38 | 3.53 | 0.10 |
| A0224 | 1 3/4 | 2 | 1/8 | 1.734 | 0.015 | 0.139 | 0.004 | 44.04 | 0.38 | 3.53 | 0.10 |
| A0225 | 1 7/8 | 2 1/8 | 1/8 | 1.859 | 0.018 | 0.139 | 0.004 | 47.22 | 0.46 | 3.53 | 0.10 |
| A0226 | 2 | 2 1/4 | 1/8 | 1.984 | 0.018 | 0.139 | 0.004 | 50.39 | 0.46 | 3.53 | 0.10 |
| A0227 | 2 1/16 | 2 3/8 | 1/8 | 2.109 | 0.018 | 0.139 | 0.004 | 53.57 | 0.46 | 3.53 | 0.10 |
| A0228 | 2 1/4 | 2 1/2 | 1/8 | 2.234 | 0.020 | 0.139 | 0.004 | 56.74 | 0.51 | 3.53 | 0.10 |
| A0229 | 2 3/8 | 2 5/8 | 1/8 | 2.359 | 0.020 | 0.139 | 0.004 | 59.92 | 0.51 | 3.53 | 0.10 |
| A0230 | 2 1/2 | 2 3/4 | 1/8 | 2.484 | 0.020 | 0.139 | 0.004 | 63.09 | 0.51 | 3.53 | 0.10 |
| A0231 | 2 5/8 | 2 7/8 | 1/8 | 2.609 | 0.020 | 0.139 | 0.004 | 66.27 | 0.51 | 3.53 | 0.10 |
| A0232 | 2 3/4 | 3 | 1/8 | 2.734 | 0.024 | 0.139 | 0.004 | 69.44 | 0.61 | 3.53 | 0.10 |
| A0233 | 2 7/8 | 3 1/8 | 1/8 | 2.859 | 0.024 | 0.139 | 0.004 | 72.62 | 0.61 | 3.53 | 0.10 |
| A0234 | 3 | 3 1/4 | 1/8 | 2.984 | 0.024 | 0.139 | 0.004 | 75.79 | 0.61 | 3.53 | 0.10 |
| A0235 | 3 1/8 | 3 3/8 | 1/8 | 3.109 | 0.024 | 0.139 | 0.004 | 78.97 | 0.61 | 3.53 | 0.10 |
| A0236 | 3 1/4 | 3 1/2 | 1/8 | 3.234 | 0.024 | 0.139 | 0.004 | 82.14 | 0.61 | 3.53 | 0.10 |
| A0237 | 3 3/8 | 3 5/8 | 1/8 | 3.359 | 0.024 | 0.139 | 0.004 | 85.32 | 0.61 | 3.53 | 0.10 |
| A0238 | 3 1/2 | 3 3/4 | 1/8 | 3.484 | 0.024 | 0.139 | 0.004 | 88.49 | 0.61 | 3.53 | 0.10 |
| A0239 | 3 5/8 | 3 7/8 | 1/8 | 3.609 | 0.028 | 0.139 | 0.004 | 91.67 | 0.71 | 3.53 | 0.10 |
| A0240 | 3 3/4 | 4 | 1/8 | 3.734 | 0.028 | 0.139 | 0.004 | 94.84 | 0.71 | 3.53 | 0.10 |
| A0241 | 3 7/8 | 4 1/8 | 1/8 | 3.859 | 0.028 | 0.139 | 0.004 | 98.02 | 0.71 | 3.53 | 0.10 |
| A0242 | 4 | 4 1/4 | 1/8 | 3.984 | 0.028 | 0.139 | 0.004 | 101.19 | 0.71 | 3.53 | 0.10 |
| A0243 | 4 1/8 | 4 3/8 | 1/8 | 4.109 | 0.028 | 0.139 | 0.004 | 104.37 | 0.71 | 3.53 | 0.10 |
| A0244 | 4 1/4 | 4 1/2 | 1/8 | 4.234 | 0.030 | 0.139 | 0.004 | 107.54 | 0.76 | 3.53 | 0.10 |
| A0245 | 4 3/8 | 4 5/8 | 1/8 | 4.359 | 0.030 | 0.139 | 0.004 | 110.72 | 0.76 | 3.53 | 0.10 |
| A0246 | 4 1/2 | 4 3/4 | 1/8 | 4.484 | 0.030 | 0.139 | 0.004 | 113.89 | 0.76 | 3.53 | 0.10 |
| A0247 | 4 5/8 | 4 7/8 | 1/8 | 4.609 | 0.030 | 0.139 | 0.004 | 117.07 | 0.76 | 3.53 | 0.10 |
| A0248 | 4 3/4 | 5 | 1/8 | 4.734 | 0.030 | 0.139 | 0.004 | 120.24 | 0.76 | 3.53 | 0.10 |
| A0249 | 4 7/8 | 5 1/8 | 1/8 | 4.859 | 0.035 | 0.139 | 0.004 | 123.42 | 0.89 | 3.53 | 0.10 |
| A0250 | 5 | 5 1/4 | 1/8 | 4.984 | 0.035 | 0.139 | 0.004 | 126.59 | 0.89 | 3.53 | 0.10 |
| A0251 | 5 1/8 | 5 3/8 | 1/8 | 5.109 | 0.035 | 0.139 | 0.004 | 129.77 | 0.89 | 3.53 | 0.10 |
| A0252 | 5 1/4 | 5 1/2 | 1/8 | 5.234 | 0.035 | 0.139 | 0.004 | 132.94 | 0.89 | 3.53 | 0.10 |
| A0253 | 5 3/8 | 5 5/8 | 1/8 | 5.359 | 0.035 | 0.139 | 0.004 | 136.12 | 0.89 | 3.53 | 0.10 |

O-Ring Standard Size (AS 568A)

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|-----------------|---|--------|------|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0254 | 5 1/2 | 5 3/4 | 1/8 | 5.484 | 0.035 | 0.139 | 0.004 | 139.29 | 0.89 | 3.53 | 0.10 |
| A0255 | 5 5/8 | 5 7/8 | 1/8 | 5.609 | 0.035 | 0.139 | 0.004 | 142.47 | 0.89 | 3.53 | 0.10 |
| A0256 | 5 3/4 | 6 | 1/8 | 5.734 | 0.035 | 0.139 | 0.004 | 145.64 | 0.89 | 3.53 | 0.10 |
| A0257 | 5 7/8 | 6 1/8 | 1/8 | 5.859 | 0.035 | 0.139 | 0.004 | 148.82 | 0.89 | 3.53 | 0.10 |
| A0258 | 6 | 6 1/4 | 1/8 | 5.984 | 0.035 | 0.139 | 0.004 | 151.99 | 0.89 | 3.53 | 0.10 |
| A0259 | 6 1/4 | 6 1/2 | 1/8 | 6.234 | 0.040 | 0.139 | 0.004 | 158.34 | 1.02 | 3.53 | 0.10 |
| A0260 | 6 1/2 | 6 3/4 | 1/8 | 6.484 | 0.040 | 0.139 | 0.004 | 164.69 | 1.02 | 3.53 | 0.10 |
| A0261 | 6 3/4 | 7 | 1/8 | 6.734 | 0.040 | 0.139 | 0.004 | 171.04 | 1.02 | 3.53 | 0.10 |
| A0262 | 7 | 7 1/4 | 1/8 | 6.984 | 0.040 | 0.139 | 0.004 | 177.39 | 1.02 | 3.53 | 0.10 |
| A0263 | 7 1/4 | 7 1/2 | 1/8 | 7.234 | 0.045 | 0.139 | 0.004 | 183.74 | 1.14 | 3.53 | 0.10 |
| A0264 | 7 1/2 | 7 3/4 | 1/8 | 7.484 | 0.045 | 0.139 | 0.004 | 190.09 | 1.14 | 3.53 | 0.10 |
| A0265 | 7 3/4 | 8 | 1/8 | 7.734 | 0.045 | 0.139 | 0.004 | 196.44 | 1.14 | 3.53 | 0.10 |
| A0266 | 8 | 8 1/4 | 1/8 | 7.984 | 0.045 | 0.139 | 0.004 | 202.79 | 1.14 | 3.53 | 0.10 |
| A0267 | 8 1/4 | 8 1/2 | 1/8 | 8.234 | 0.050 | 0.139 | 0.004 | 209.14 | 1.27 | 3.53 | 0.10 |
| A0268 | 8 1/2 | 8 3/4 | 1/8 | 8.484 | 0.050 | 0.139 | 0.004 | 215.49 | 1.27 | 3.53 | 0.10 |
| A0269 | 8 3/4 | 9 | 1/8 | 8.734 | 0.050 | 0.139 | 0.004 | 221.84 | 1.27 | 3.53 | 0.10 |
| A0270 | 9 | 9 1/4 | 1/8 | 8.984 | 0.050 | 0.139 | 0.004 | 228.19 | 1.27 | 3.53 | 0.10 |
| A0271 | 9 1/4 | 9 1/2 | 1/8 | 9.234 | 0.055 | 0.139 | 0.004 | 234.54 | 1.40 | 3.53 | 0.10 |
| A0272 | 9 1/2 | 9 3/4 | 1/8 | 9.484 | 0.055 | 0.139 | 0.004 | 240.89 | 1.40 | 3.53 | 0.10 |
| A0273 | 9 3/4 | 10 | 1/8 | 9.734 | 0.055 | 0.139 | 0.004 | 247.24 | 1.40 | 3.53 | 0.10 |
| A0274 | 10 | 10 1/4 | 1/8 | 9.984 | 0.055 | 0.139 | 0.004 | 253.59 | 1.40 | 3.53 | 0.10 |
| A0275 | 10 1/2 | 10 3/4 | 1/8 | 10.484 | 0.055 | 0.139 | 0.004 | 266.29 | 1.40 | 3.53 | 0.10 |
| A0276 | 11 | 11 1/4 | 1/8 | 10.984 | 0.065 | 0.139 | 0.004 | 278.99 | 1.65 | 3.53 | 0.10 |
| A0277 | 11 1/2 | 11 3/4 | 1/8 | 11.484 | 0.065 | 0.139 | 0.004 | 291.69 | 1.65 | 3.53 | 0.10 |
| A0278 | 12 | 12 1/4 | 1/8 | 11.984 | 0.065 | 0.139 | 0.004 | 304.39 | 1.65 | 3.53 | 0.10 |
| A0279 | 13 | 13 1/4 | 1/8 | 12.984 | 0.065 | 0.139 | 0.004 | 329.79 | 1.65 | 3.53 | 0.10 |
| A0280 | 14 | 14 1/4 | 1/8 | 13.984 | 0.065 | 0.139 | 0.004 | 355.19 | 1.65 | 3.53 | 0.10 |
| A0281 | 15 | 15 1/4 | 1/8 | 14.984 | 0.065 | 0.139 | 0.004 | 380.59 | 1.65 | 3.53 | 0.10 |
| A0282 | 16 | 16 1/4 | 1/8 | 15.955 | 0.075 | 0.139 | 0.004 | 405.26 | 1.91 | 3.53 | 0.10 |
| A0283 | 17 | 17 1/4 | 1/8 | 16.955 | 0.080 | 0.139 | 0.004 | 430.66 | 2.03 | 3.53 | 0.10 |
| A0284 | 18 | 18 1/4 | 1/8 | 17.955 | 0.085 | 0.139 | 0.004 | 456.06 | 2.16 | 3.53 | 0.10 |
| A0309 | 7/16 | 13/16 | 3/16 | 0.412 | 0.005 | 0.210 | 0.005 | 10.46 | 0.13 | 5.33 | 0.13 |
| A0310 | 1/2 | 7/8 | 3/16 | 0.475 | 0.005 | 0.210 | 0.005 | 12.07 | 0.13 | 5.33 | 0.13 |
| A0311 | 9/16 | 15/16 | 3/16 | 0.537 | 0.007 | 0.210 | 0.005 | 13.64 | 0.18 | 5.33 | 0.13 |
| A0312 | 5/8 | 1 | 3/16 | 0.600 | 0.009 | 0.210 | 0.005 | 15.24 | 0.23 | 5.33 | 0.13 |
| A0313 | 11/16 | 1 1/16 | 3/16 | 0.662 | 0.009 | 0.210 | 0.005 | 16.81 | 0.23 | 5.33 | 0.13 |
| A0314 | 3/4 | 1 1/8 | 3/16 | 0.725 | 0.010 | 0.210 | 0.005 | 18.42 | 0.25 | 5.33 | 0.13 |
| A0315 | 13/16 | 1 3/16 | 3/16 | 0.787 | 0.010 | 0.210 | 0.005 | 19.99 | 0.25 | 5.33 | 0.13 |
| A0316 | 7/8 | 1 1/4 | 3/16 | 0.850 | 0.010 | 0.210 | 0.005 | 21.59 | 0.25 | 5.33 | 0.13 |
| A0317 | 15/16 | 1 5/16 | 3/16 | 0.912 | 0.010 | 0.210 | 0.005 | 23.16 | 0.25 | 5.33 | 0.13 |
| A0318 | 1 | 1 3/8 | 3/16 | 0.975 | 0.010 | 0.210 | 0.005 | 24.77 | 0.25 | 5.33 | 0.13 |
| A0319 | 1 1/16 | 1 7/16 | 3/16 | 1.037 | 0.010 | 0.210 | 0.005 | 26.34 | 0.25 | 5.33 | 0.13 |
| A0320 | 1 1/8 | 1 1/2 | 3/16 | 1.100 | 0.012 | 0.210 | 0.005 | 27.94 | 0.30 | 5.33 | 0.13 |
| A0321 | 1 3/16 | 1 9/16 | 3/16 | 1.162 | 0.012 | 0.210 | 0.005 | 29.51 | 0.30 | 5.33 | 0.13 |
| A0322 | 1 1/4 | 1 5/8 | 3/16 | 1.225 | 0.012 | 0.210 | 0.005 | 31.12 | 0.30 | 5.33 | 0.13 |

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|-----------------|---|---------|------|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0323 | 1 5/16 | 1 11/16 | 3/16 | 1.287 | 0.012 | 0.210 | 0.005 | 32.69 | 0.30 | 5.33 | 0.13 |
| A0324 | 1 3/8 | 1 3/4 | 3/16 | 1.350 | 0.012 | 0.210 | 0.005 | 34.29 | 0.30 | 5.33 | 0.13 |
| A0325 | 1 1/2 | 1 7/8 | 3/16 | 1.475 | 0.015 | 0.210 | 0.005 | 37.47 | 0.38 | 5.33 | 0.13 |
| A0326 | 1 5/8 | 2 | 3/16 | 1.600 | 0.015 | 0.210 | 0.005 | 40.64 | 0.38 | 5.33 | 0.13 |
| A0327 | 1 3/4 | 2 1/8 | 3/16 | 1.725 | 0.015 | 0.210 | 0.005 | 43.82 | 0.38 | 5.33 | 0.13 |
| A0328 | 1 7/8 | 2 1/4 | 3/16 | 1.850 | 0.015 | 0.210 | 0.005 | 46.99 | 0.38 | 5.33 | 0.13 |
| A0329 | 2 | 2 3/8 | 3/16 | 1.975 | 0.018 | 0.210 | 0.005 | 50.17 | 0.46 | 5.33 | 0.13 |
| A0330 | 2 1/8 | 2 1/2 | 3/16 | 2.100 | 0.018 | 0.210 | 0.005 | 53.34 | 0.46 | 5.33 | 0.13 |
| A0331 | 2 1/4 | 2 5/8 | 3/16 | 2.225 | 0.018 | 0.210 | 0.005 | 56.52 | 0.46 | 5.33 | 0.13 |
| A0332 | 2 3/8 | 2 3/4 | 3/16 | 2.350 | 0.018 | 0.210 | 0.005 | 59.69 | 0.46 | 5.33 | 0.13 |
| A0333 | 2 1/2 | 2 7/8 | 3/16 | 2.475 | 0.020 | 0.210 | 0.005 | 62.87 | 0.51 | 5.33 | 0.13 |
| A0334 | 2 5/8 | 3 | 3/16 | 2.600 | 0.020 | 0.210 | 0.005 | 66.04 | 0.51 | 5.33 | 0.13 |
| A0335 | 2 3/4 | 3 1/8 | 3/16 | 2.725 | 0.020 | 0.210 | 0.005 | 69.22 | 0.51 | 5.33 | 0.13 |
| A0336 | 2 7/8 | 3 1/4 | 3/16 | 2.850 | 0.020 | 0.210 | 0.005 | 72.39 | 0.51 | 5.33 | 0.13 |
| A0337 | 3 | 3 3/8 | 3/16 | 2.975 | 0.024 | 0.210 | 0.005 | 75.57 | 0.61 | 5.33 | 0.13 |
| A0338 | 3 1/8 | 3 1/2 | 3/16 | 3.100 | 0.024 | 0.210 | 0.005 | 78.74 | 0.61 | 5.33 | 0.13 |
| A0339 | 3 1/4 | 3 5/8 | 3/16 | 3.225 | 0.024 | 0.210 | 0.005 | 81.92 | 0.61 | 5.33 | 0.13 |
| A0340 | 3 3/8 | 3 3/4 | 3/16 | 3.350 | 0.024 | 0.210 | 0.005 | 85.09 | 0.61 | 5.33 | 0.13 |
| A0341 | 3 1/2 | 3 7/8 | 3/16 | 3.475 | 0.024 | 0.210 | 0.005 | 88.27 | 0.61 | 5.33 | 0.13 |
| A0342 | 3 5/8 | 4 | 3/16 | 3.600 | 0.028 | 0.210 | 0.005 | 91.44 | 0.71 | 5.33 | 0.13 |
| A0343 | 3 3/4 | 4 1/8 | 3/16 | 3.725 | 0.028 | 0.210 | 0.005 | 94.62 | 0.71 | 5.33 | 0.13 |
| A0344 | 3 7/8 | 4 1/4 | 3/16 | 3.850 | 0.028 | 0.210 | 0.005 | 97.79 | 0.71 | 5.33 | 0.13 |
| A0345 | 4 | 4 3/8 | 3/16 | 3.975 | 0.028 | 0.210 | 0.005 | 100.97 | 0.71 | 5.33 | 0.13 |
| A0346 | 4 1/8 | 4 1/2 | 3/16 | 4.100 | 0.028 | 0.210 | 0.005 | 104.14 | 0.71 | 5.33 | 0.13 |
| A0347 | 4 1/4 | 4 5/8 | 3/16 | 4.225 | 0.030 | 0.210 | 0.005 | 107.32 | 0.76 | 5.33 | 0.13 |
| A0348 | 4 3/8 | 4 3/4 | 3/16 | 4.350 | 0.030 | 0.210 | 0.005 | 110.49 | 0.76 | 5.33 | 0.13 |
| A0349 | 4 1/2 | 4 7/8 | 3/16 | 4.475 | 0.030 | 0.210 | 0.005 | 113.67 | 0.76 | 5.33 | 0.13 |
| A0350 | 4 5/8 | 5 | 3/16 | 4.600 | 0.030 | 0.210 | 0.005 | 116.84 | 0.76 | 5.33 | 0.13 |
| A0351 | 4 3/4 | 5 1/8 | 3/16 | 4.725 | 0.030 | 0.210 | 0.005 | 120.02 | 0.76 | 5.33 | 0.13 |
| A0352 | 4 7/8 | 5 1/4 | 3/16 | 4.850 | 0.030 | 0.210 | 0.005 | 123.19 | 0.76 | 5.33 | 0.13 |
| A0353 | 5 | 5 3/8 | 3/16 | 4.975 | 0.037 | 0.210 | 0.005 | 126.37 | 0.94 | 5.33 | 0.13 |
| A0354 | 5 1/8 | 5 1/2 | 3/16 | 5.100 | 0.037 | 0.210 | 0.005 | 129.54 | 0.94 | 5.33 | 0.13 |
| A0355 | 5 1/4 | 5 5/8 | 3/16 | 5.225 | 0.037 | 0.210 | 0.005 | 132.72 | 0.94 | 5.33 | 0.13 |
| A0356 | 5 3/8 | 5 3/4 | 3/16 | 5.350 | 0.037 | 0.210 | 0.005 | 135.89 | 0.94 | 5.33 | 0.13 |
| A0357 | 5 1/2 | 5 7/8 | 3/16 | 5.475 | 0.037 | 0.210 | 0.005 | 139.07 | 0.94 | 5.33 | 0.13 |
| A0358 | 5 5/8 | 6 | 3/16 | 5.600 | 0.037 | 0.210 | 0.005 | 142.24 | 0.94 | 5.33 | 0.13 |
| A0359 | 5 3/4 | 6 1/8 | 3/16 | 5.725 | 0.037 | 0.210 | 0.005 | 145.42 | 0.94 | 5.33 | 0.13 |
| A0360 | 5 7/8 | 6 1/4 | 3/16 | 5.850 | 0.037 | 0.210 | 0.005 | 148.59 | 0.94 | 5.33 | 0.13 |
| A0361 | 6 | 6 3/8 | 3/16 | 5.975 | 0.037 | 0.210 | 0.005 | 151.77 | 0.94 | 5.33 | 0.13 |
| A0362 | 6 1/4 | 6 5/8 | 3/16 | 6.225 | 0.040 | 0.210 | 0.005 | 158.12 | 1.02 | 5.33 | 0.13 |
| A0363 | 6 1/2 | 6 7/8 | 3/16 | 6.475 | 0.040 | 0.210 | 0.005 | 164.47 | 1.02 | 5.33 | 0.13 |
| A0364 | 6 3/4 | 7 1/8 | 3/16 | 6.725 | 0.040 | 0.210 | 0.005 | 170.82 | 1.02 | 5.33 | 0.13 |
| A0365 | 7 | 7 3/8 | 3/16 | 6.975 | 0.040 | 0.210 | 0.005 | 177.17 | 1.02 | 5.33 | 0.13 |
| A0366 | 7 1/4 | 7 5/8 | 3/16 | 7.225 | 0.045 | 0.210 | 0.005 | 183.52 | 1.14 | 5.33 | 0.13 |
| A0367 | 7 1/2 | 7 7/8 | 3/16 | 7.475 | 0.045 | 0.210 | 0.005 | 189.87 | 1.14 | 5.33 | 0.13 |

O-Ring Standard Size (AS 568A)

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|-----------------|---|--------|------|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0368 | 7 3/4 | 8 1/8 | 3/16 | 7.725 | 0.045 | 0.210 | 0.005 | 196.22 | 1.14 | 5.33 | 0.13 |
| A0369 | 8 | 8 3/8 | 3/16 | 7.975 | 0.045 | 0.210 | 0.005 | 202.57 | 1.14 | 5.33 | 0.13 |
| A0370 | 8 1/4 | 8 5/8 | 3/16 | 8.225 | 0.050 | 0.210 | 0.005 | 208.92 | 1.27 | 5.33 | 0.13 |
| A0371 | 8 1/2 | 8 7/8 | 3/16 | 8.475 | 0.050 | 0.210 | 0.005 | 215.27 | 1.27 | 5.33 | 0.13 |
| A0372 | 8 3/4 | 9 1/8 | 3/16 | 8.725 | 0.050 | 0.210 | 0.005 | 221.62 | 1.27 | 5.33 | 0.13 |
| A0373 | 9 | 9 3/8 | 3/16 | 8.975 | 0.050 | 0.210 | 0.005 | 227.97 | 1.27 | 5.33 | 0.13 |
| A0374 | 9 1/4 | 9 5/8 | 3/16 | 9.225 | 0.055 | 0.210 | 0.005 | 234.32 | 1.40 | 5.33 | 0.13 |
| A0375 | 9 1/2 | 9 7/8 | 3/16 | 9.475 | 0.055 | 0.210 | 0.005 | 240.67 | 1.40 | 5.33 | 0.13 |
| A0376 | 9 3/4 | 10 1/8 | 3/16 | 9.725 | 0.055 | 0.210 | 0.005 | 247.02 | 1.40 | 5.33 | 0.13 |
| A0377 | 10 | 10 3/8 | 3/16 | 9.975 | 0.055 | 0.210 | 0.005 | 253.37 | 1.40 | 5.33 | 0.13 |
| A0378 | 10 1/2 | 10 7/8 | 3/16 | 10.475 | 0.060 | 0.210 | 0.005 | 266.07 | 1.52 | 5.33 | 0.13 |
| A0379 | 11 | 11 3/8 | 3/16 | 10.975 | 0.060 | 0.210 | 0.005 | 278.77 | 1.52 | 5.33 | 0.13 |
| A0380 | 11 1/2 | 11 7/8 | 3/16 | 11.475 | 0.065 | 0.210 | 0.005 | 291.47 | 1.65 | 5.33 | 0.13 |
| A0381 | 12 | 12 3/8 | 3/16 | 11.975 | 0.065 | 0.210 | 0.005 | 304.17 | 1.65 | 5.33 | 0.13 |
| A0382 | 13 | 13 3/8 | 3/16 | 12.975 | 0.065 | 0.210 | 0.005 | 329.57 | 1.65 | 5.33 | 0.13 |
| A0383 | 14 | 14 3/8 | 3/16 | 13.975 | 0.070 | 0.210 | 0.005 | 354.97 | 1.78 | 5.33 | 0.13 |
| A0384 | 15 | 15 3/8 | 3/16 | 14.975 | 0.070 | 0.210 | 0.005 | 380.37 | 1.78 | 5.33 | 0.13 |
| A0385 | 16 | 16 3/8 | 3/16 | 15.955 | 0.075 | 0.210 | 0.005 | 405.26 | 1.91 | 5.33 | 0.13 |
| A0386 | 17 | 17 3/8 | 3/16 | 16.955 | 0.080 | 0.210 | 0.005 | 430.66 | 2.03 | 5.33 | 0.13 |
| A0387 | 18 | 18 3/8 | 3/16 | 17.955 | 0.085 | 0.210 | 0.005 | 456.06 | 2.16 | 5.33 | 0.13 |
| A0388 | 19 | 19 3/8 | 3/16 | 18.955 | 0.090 | 0.210 | 0.005 | 481.46 | 2.29 | 5.33 | 0.13 |
| A0389 | 20 | 20 3/8 | 3/16 | 19.955 | 0.095 | 0.210 | 0.005 | 506.86 | 2.41 | 5.33 | 0.13 |
| A0390 | 21 | 21 3/8 | 3/16 | 20.955 | 0.095 | 0.210 | 0.005 | 532.26 | 2.41 | 5.33 | 0.13 |
| A0391 | 22 | 22 3/8 | 3/16 | 21.955 | 0.100 | 0.210 | 0.005 | 557.66 | 2.54 | 5.33 | 0.13 |
| A0392 | 23 | 23 3/8 | 3/16 | 22.940 | 0.105 | 0.210 | 0.005 | 582.68 | 2.67 | 5.33 | 0.13 |
| A0393 | 24 | 24 3/8 | 3/16 | 23.940 | 0.110 | 0.210 | 0.005 | 608.08 | 2.79 | 5.33 | 0.13 |
| A0394 | 25 | 25 3/8 | 3/16 | 24.940 | 0.115 | 0.210 | 0.005 | 633.48 | 2.92 | 5.33 | 0.13 |
| A0395 | 26 | 26 3/8 | 3/16 | 25.940 | 0.120 | 0.210 | 0.005 | 658.88 | 3.05 | 5.33 | 0.13 |
| A0400 | 1 3/8 | 1 7/8 | 1/4 | 1.350 | 0.013 | 0.275 | 0.006 | 34.29 | 0.33 | 6.99 | 0.15 |
| A0401 | 1 1/2 | 2 | 1/4 | 1.475 | 0.014 | 0.275 | 0.006 | 37.47 | 0.36 | 6.99 | 0.15 |
| A0402 | 1 5/8 | 2 1/8 | 1/4 | 1.600 | 0.015 | 0.275 | 0.006 | 40.64 | 0.39 | 6.99 | 0.15 |
| A0403 | 1 3/4 | 2 1/4 | 1/4 | 1.725 | 0.016 | 0.275 | 0.006 | 43.82 | 0.41 | 6.99 | 0.15 |
| A0404 | 1 7/8 | 2 3/8 | 1/4 | 1.850 | 0.017 | 0.275 | 0.006 | 46.99 | 0.44 | 6.99 | 0.15 |
| A0405 | 2 | 2 1/2 | 1/4 | 1.975 | 0.018 | 0.275 | 0.006 | 50.17 | 0.46 | 6.99 | 0.15 |
| A0406 | 2 1/8 | 2 5/8 | 1/4 | 2.100 | 0.019 | 0.275 | 0.006 | 53.34 | 0.48 | 6.99 | 0.15 |
| A0407 | 2 1/4 | 2 3/4 | 1/4 | 2.225 | 0.020 | 0.275 | 0.006 | 56.52 | 0.51 | 6.99 | 0.15 |
| A0408 | 2 3/8 | 2 7/8 | 1/4 | 2.350 | 0.021 | 0.275 | 0.006 | 59.69 | 0.54 | 6.99 | 0.15 |
| A0409 | 2 1/2 | 3 | 1/4 | 2.475 | 0.022 | 0.275 | 0.006 | 62.87 | 0.56 | 6.99 | 0.15 |
| A0410 | 2 5/8 | 3 1/8 | 1/4 | 2.600 | 0.023 | 0.275 | 0.006 | 66.04 | 0.59 | 6.99 | 0.15 |
| A0411 | 2 3/4 | 3 1/4 | 1/4 | 2.725 | 0.024 | 0.275 | 0.006 | 69.22 | 0.61 | 6.99 | 0.15 |
| A0412 | 2 7/8 | 3 3/8 | 1/4 | 2.850 | 0.025 | 0.275 | 0.006 | 72.39 | 0.64 | 6.99 | 0.15 |
| A0413 | 3 | 3 1/2 | 1/4 | 2.975 | 0.026 | 0.275 | 0.006 | 75.57 | 0.66 | 6.99 | 0.15 |
| A0414 | 3 1/8 | 3 5/8 | 1/4 | 3.100 | 0.026 | 0.275 | 0.006 | 78.74 | 0.67 | 6.99 | 0.15 |
| A0415 | 3 1/4 | 3 3/4 | 1/4 | 3.225 | 0.028 | 0.275 | 0.006 | 81.92 | 0.71 | 6.99 | 0.15 |
| A0416 | 3 3/8 | 3 7/8 | 1/4 | 3.350 | 0.029 | 0.275 | 0.006 | 85.09 | 0.73 | 6.99 | 0.15 |

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|-----------------|---|--------|-----|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0417 | 3 1/2 | 4 | 1/4 | 3.475 | 0.030 | 0.275 | 0.006 | 88.27 | 0.75 | 6.99 | 0.15 |
| A0418 | 3 5/8 | 4 1/8 | 1/4 | 3.600 | 0.031 | 0.275 | 0.006 | 91.44 | 0.79 | 6.99 | 0.15 |
| A0419 | 3 3/4 | 4 1/4 | 1/4 | 3.725 | 0.032 | 0.275 | 0.006 | 94.62 | 0.81 | 6.99 | 0.15 |
| A0420 | 3 7/8 | 4 3/8 | 1/4 | 3.850 | 0.033 | 0.275 | 0.006 | 97.79 | 0.83 | 6.99 | 0.15 |
| A0421 | 4 | 4 1/2 | 1/4 | 3.975 | 0.033 | 0.275 | 0.006 | 100.97 | 0.84 | 6.99 | 0.15 |
| A0422 | 4 1/8 | 4 5/8 | 1/4 | 4.100 | 0.034 | 0.275 | 0.006 | 104.14 | 0.87 | 6.99 | 0.15 |
| A0423 | 4 1/4 | 4 3/4 | 1/4 | 4.225 | 0.035 | 0.275 | 0.006 | 107.32 | 0.89 | 6.99 | 0.15 |
| A0424 | 4 3/8 | 4 7/8 | 1/4 | 4.350 | 0.036 | 0.275 | 0.006 | 110.49 | 0.91 | 6.99 | 0.15 |
| A0425 | 4 1/2 | 5 | 1/4 | 4.475 | 0.033 | 0.275 | 0.006 | 113.67 | 0.84 | 6.99 | 0.15 |
| A0426 | 4 5/8 | 5 1/8 | 1/4 | 4.600 | 0.033 | 0.275 | 0.006 | 116.84 | 0.84 | 6.99 | 0.15 |
| A0427 | 4 3/4 | 5 1/4 | 1/4 | 4.725 | 0.033 | 0.28 | 0.006 | 120.02 | 0.84 | 6.99 | 0.15 |
| A0428 | 4 7/8 | 5 3/8 | 1/4 | 4.85 | 0.033 | 0.28 | 0.006 | 123.19 | 0.84 | 6.99 | 0.15 |
| A0429 | 5 | 5 1/2 | 1/4 | 4.975 | 0.037 | 0.275 | 0.006 | 126.37 | 0.94 | 6.99 | 0.15 |
| A0430 | 5 1/8 | 5 5/8 | 1/4 | 5.100 | 0.037 | 0.275 | 0.006 | 129.54 | 0.94 | 6.99 | 0.15 |
| A0431 | 5 1/4 | 5 3/4 | 1/4 | 5.225 | 0.037 | 0.275 | 0.006 | 132.72 | 0.94 | 6.99 | 0.15 |
| A0432 | 5 3/8 | 5 7/8 | 1/4 | 5.350 | 0.037 | 0.275 | 0.006 | 135.89 | 0.94 | 6.99 | 0.15 |
| A0433 | 5 1/2 | 6 | 1/4 | 5.475 | 0.037 | 0.275 | 0.006 | 139.07 | 0.94 | 6.99 | 0.15 |
| A0434 | 5 5/8 | 6 1/8 | 1/4 | 5.600 | 0.037 | 0.275 | 0.006 | 142.24 | 0.94 | 6.99 | 0.15 |
| A0435 | 5 3/4 | 6 1/4 | 1/4 | 5.725 | 0.037 | 0.275 | 0.006 | 145.42 | 0.94 | 6.99 | 0.15 |
| A0436 | 5 7/8 | 6 3/8 | 1/4 | 5.850 | 0.037 | 0.275 | 0.006 | 148.59 | 0.94 | 6.99 | 0.15 |
| A0437 | 6 | 6 1/2 | 1/4 | 5.975 | 0.037 | 0.275 | 0.006 | 151.77 | 0.94 | 6.99 | 0.15 |
| A0438 | 6 1/4 | 6 3/4 | 1/4 | 6.225 | 0.040 | 0.275 | 0.006 | 158.12 | 1.02 | 6.99 | 0.15 |
| A0439 | 6 1/2 | 7 | 1/4 | 6.475 | 0.040 | 0.275 | 0.006 | 164.47 | 1.02 | 6.99 | 0.15 |
| A0440 | 6 3/4 | 7 1/4 | 1/4 | 6.725 | 0.040 | 0.275 | 0.006 | 170.82 | 1.02 | 6.99 | 0.15 |
| A0441 | 7 | 7 1/2 | 1/4 | 6.975 | 0.040 | 0.275 | 0.006 | 177.17 | 1.02 | 6.99 | 0.15 |
| A0442 | 7 1/4 | 7 3/4 | 1/4 | 7.225 | 0.045 | 0.275 | 0.006 | 183.52 | 1.14 | 6.99 | 0.15 |
| A0443 | 7 1/2 | 8 | 1/4 | 7.475 | 0.045 | 0.275 | 0.006 | 189.87 | 1.14 | 6.99 | 0.15 |
| A0444 | 7 3/4 | 8 1/4 | 1/4 | 7.725 | 0.045 | 0.275 | 0.006 | 196.22 | 1.14 | 6.99 | 0.15 |
| A0445 | 8 | 8 1/2 | 1/4 | 7.975 | 0.045 | 0.275 | 0.006 | 202.57 | 1.14 | 6.99 | 0.15 |
| A0446 | 8 1/2 | 9 | 1/4 | 8.475 | 0.055 | 0.275 | 0.006 | 215.27 | 1.4 | 6.99 | 0.15 |
| A0447 | 9 | 9 1/2 | 1/4 | 8.975 | 0.055 | 0.275 | 0.006 | 227.97 | 1.4 | 6.99 | 0.15 |
| A0448 | 9 1/2 | 10 | 1/4 | 9.475 | 0.055 | 0.275 | 0.006 | 240.67 | 1.4 | 6.99 | 0.15 |
| A0449 | 10 | 10 1/2 | 1/4 | 9.975 | 0.055 | 0.275 | 0.006 | 253.37 | 1.4 | 6.99 | 0.15 |
| A0450 | 10 1/2 | 11 | 1/4 | 10.475 | 0.060 | 0.275 | 0.006 | 266.07 | 1.52 | 6.99 | 0.15 |
| A0451 | 11 | 11 1/2 | 1/4 | 10.975 | 0.060 | 0.275 | 0.006 | 278.77 | 1.52 | 6.99 | 0.15 |
| A0452 | 11 1/2 | 12 | 1/4 | 11.475 | 0.060 | 0.275 | 0.006 | 291.47 | 1.52 | 6.99 | 0.15 |
| A0453 | 12 | 12 1/2 | 1/4 | 11.975 | 0.060 | 0.275 | 0.006 | 304.17 | 1.52 | 6.99 | 0.15 |
| A0454 | 12 1/2 | 13 | 1/4 | 12.475 | 0.060 | 0.275 | 0.006 | 316.87 | 1.52 | 6.99 | 0.15 |
| A0455 | 13 | 13 1/2 | 1/4 | 12.975 | 0.060 | 0.275 | 0.006 | 329.57 | 1.52 | 6.99 | 0.15 |
| A0456 | 13 1/2 | 14 | 1/4 | 13.475 | 0.070 | 0.275 | 0.006 | 342.27 | 1.78 | 6.99 | 0.15 |
| A0457 | 14 | 14 1/2 | 1/4 | 13.975 | 0.070 | 0.275 | 0.006 | 354.97 | 1.78 | 6.99 | 0.15 |
| A0458 | 14 1/2 | 15 | 1/4 | 14.475 | 0.070 | 0.275 | 0.006 | 367.67 | 1.78 | 6.99 | 0.15 |
| A0459 | 15 | 15 1/2 | 1/4 | 14.975 | 0.070 | 0.275 | 0.006 | 380.37 | 1.78 | 6.99 | 0.15 |
| A0460 | 15 1/2 | 16 | 1/4 | 15.475 | 0.070 | 0.275 | 0.006 | 393.07 | 1.78 | 6.99 | 0.15 |
| A0461 | 16 | 16 1/2 | 1/4 | 15.955 | 0.075 | 0.275 | 0.006 | 405.26 | 1.91 | 6.99 | 0.15 |

O-Ring Standard Size (AS 568A)

O-Ring Standard Size (AS 568A)

| AS 568A SIZE | NOMINAL (REF.) MEASUREMENTS IN INCHES | | | STANDARD O-RING MEASUREMENTS IN INCHES | | | | METRIC O-RING MEASUREMENTS IN MILLIMETERS | | | |
|--------------|---------------------------------------|--------|-----|--|--------------|--------------|--------------|---|------|------|------|
| | ID | OD | CS | ID | ± | CS | ± | ID | ± | CS | ± |
| A0462 | 16 1/2 | 17 | 1/4 | 16.455 | 0.075 | 0.275 | 0.006 | 417.96 | 1.91 | 6.99 | 0.15 |
| A0463 | 17 | 17 1/2 | 1/4 | 16.955 | 0.080 | 0.275 | 0.006 | 430.66 | 2.03 | 6.99 | 0.15 |
| A0464 | 17 1/2 | 18 | 1/4 | 17.455 | 0.085 | 0.275 | 0.006 | 443.36 | 2.16 | 6.99 | 0.15 |
| A0465 | 18 | 18 1/2 | 1/4 | 17.955 | 0.085 | 0.275 | 0.006 | 456.06 | 2.16 | 6.99 | 0.15 |
| A0466 | 18 1/2 | 19 | 1/4 | 18.455 | 0.085 | 0.275 | 0.006 | 468.76 | 2.16 | 6.99 | 0.15 |
| A0467 | 19 | 19 1/2 | 1/4 | 18.955 | 0.090 | 0.275 | 0.006 | 481.46 | 2.29 | 6.99 | 0.15 |
| A0468 | 19 1/2 | 20 | 1/4 | 19.455 | 0.090 | 0.275 | 0.006 | 494.16 | 2.29 | 6.99 | 0.15 |
| A0469 | 20 | 20 1/2 | 1/4 | 19.955 | 0.095 | 0.275 | 0.006 | 506.86 | 2.41 | 6.99 | 0.15 |
| A0470 | 21 | 21 1/2 | 1/4 | 20.955 | 0.095 | 0.275 | 0.006 | 532.26 | 2.41 | 6.99 | 0.15 |
| A0471 | 22 | 22 1/2 | 1/4 | 21.955 | 0.100 | 0.275 | 0.006 | 557.66 | 2.54 | 6.99 | 0.15 |
| A0472 | 23 | 23 1/2 | 1/4 | 22.940 | 0.105 | 0.275 | 0.006 | 582.68 | 2.67 | 6.99 | 0.15 |
| A0473 | 24 | 24 1/2 | 1/4 | 23.940 | 0.110 | 0.275 | 0.006 | 608.08 | 2.79 | 6.99 | 0.15 |
| A0474 | 25 | 25 1/2 | 1/4 | 24.940 | 0.115 | 0.275 | 0.006 | 633.48 | 2.92 | 6.99 | 0.15 |
| A0475 | 26 | 26 1/2 | 1/4 | 25.940 | 0.120 | 0.275 | 0.006 | 658.88 | 3.05 | 6.99 | 0.15 |

O-Ring For Use With Internal Straight Thread Fluid Connection Bosses And Tube Fittings

| AS 568A SIZE | NOMINAL (REF.) | MEASUREMENTS IN INCHES | | | | MEASUREMENTS IN MILLIMETERS | | | |
|--------------|----------------|------------------------|--------------|--------------|--------------|-----------------------------|------|------|------|
| | OD | ID | ± | CS | ± | ID | ± | CS | ± |
| A0901 | 3/32 | 0.185 | 0.005 | 0.056 | 0.003 | 4.70 | 0.13 | 1.42 | 0.08 |
| A0902 | 1/8 | 0.239 | 0.005 | 0.064 | 0.003 | 6.07 | 0.13 | 1.63 | 0.08 |
| A0903 | 3/16 | 0.301 | 0.005 | 0.064 | 0.003 | 7.65 | 0.13 | 1.63 | 0.08 |
| A0904 | 1/4 | 0.351 | 0.005 | 0.072 | 0.003 | 8.92 | 0.13 | 1.83 | 0.08 |
| A0905 | 5/16 | 0.414 | 0.005 | 0.072 | 0.003 | 10.52 | 0.13 | 1.83 | 0.08 |
| A0906 | 3/8 | 0.468 | 0.005 | 0.078 | 0.003 | 11.89 | 0.13 | 1.98 | 0.08 |
| A0907 | 7/16 | 0.530 | 0.007 | 0.082 | 0.003 | 13.46 | 0.18 | 2.08 | 0.08 |
| A0908 | 1/2 | 0.644 | 0.009 | 0.087 | 0.003 | 16.36 | 0.23 | 2.21 | 0.08 |
| A0909 | 9/16 | 0.706 | 0.009 | 0.097 | 0.003 | 17.93 | 0.23 | 2.46 | 0.08 |
| A0910 | 5/8 | 0.755 | 0.009 | 0.097 | 0.003 | 19.18 | 0.23 | 2.46 | 0.08 |
| A0911 | 11/16 | 0.863 | 0.009 | 0.116 | 0.004 | 21.92 | 0.23 | 2.95 | 0.10 |
| A0912 | 3/4 | 0.924 | 0.009 | 0.116 | 0.004 | 23.47 | 0.23 | 2.95 | 0.10 |
| A0913 | 13/16 | 0.986 | 0.010 | 0.116 | 0.004 | 25.04 | 0.25 | 2.95 | 0.10 |
| A0914 | 7/8 | 1.047 | 0.010 | 0.116 | 0.004 | 26.59 | 0.25 | 2.95 | 0.10 |
| A0916 | 1 | 1.171 | 0.010 | 0.116 | 0.004 | 29.74 | 0.25 | 2.95 | 0.10 |
| A0918 | 1 1/8 | 1.355 | 0.012 | 0.116 | 0.004 | 34.42 | 0.30 | 2.95 | 0.10 |
| A0920 | 1 1/4 | 1.475 | 0.014 | 0.118 | 0.004 | 37.47 | 0.36 | 3.00 | 0.10 |
| A0924 | 1 1/2 | 1.720 | 0.014 | 0.118 | 0.004 | 43.69 | 0.36 | 3.00 | 0.10 |
| A0928 | 1 3/4 | 2.090 | 0.018 | 0.118 | 0.004 | 53.09 | 0.46 | 3.00 | 0.10 |
| A0932 | 2 | 2.337 | 0.018 | 0.118 | 0.004 | 59.36 | 0.46 | 3.00 | 0.10 |

O-Ring Standard Size (AS 568A)